

Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A connector fixing structure for a second connector to be connected to a first connector provided at a housing accommodating a vehicle-mounted electrical device, said second connector including a contact point to be connected to a contact of said first connector, a cable connected to said contact point, and a shielding portion covering said contact point, comprising:

a first fixing member for fixing said shielding portion to said housing, on a side where said contact point is provided; and

a second fixing member for fixing said cable to said housing, on a side where said cable is provided, wherein

a fixed state of said cable established by said second fixing member is such a state as to allow for more movement of an object to be fixed than does a fixed state of said shielding portion established by said first fixing member, and

wherein said second fixing member is formed to have elasticity by its shape.

2. (Canceled)

3. (Previously Presented) The connector fixing structure according to claim 1, wherein said second fixing member is formed of a metal plate bent into a predetermined shape.

4. (Previously Presented) The connector fixing structure according to claim 1, wherein said second fixing member is integrally formed with said shielding portion.

5. (Previously Presented) The connector fixing structure according to claim 1, wherein said second connector is formed to conform to a shape of said housing.

6. (Previously Presented) The connector fixing structure according to claim 1, wherein said second connector is formed into an L-shape.

7. (Original) The connector fixing structure according to claim 1, wherein said electrical device is a vehicle-mounted motor.

8. (Previously Presented) The connector fixing structure according to claim 1, wherein said object to be fixed is said shielding portion.

9. (Previously Presented) The connector fixing structure according to claim 2, wherein said object to be fixed is said shielding portion.

10. (Previously Presented) The connector fixing structure according to claim 3, wherein said object to be fixed is said shielding portion.

11. (Previously Presented) The connector fixing structure according to claim 4, wherein said object to be fixed is said shielding portion.

12. (Previously Presented) The connector fixing structure according to claim 5, wherein said object to be fixed is said shielding portion.

13. (Previously Presented) The connector fixing structure according to claim 6, wherein said object to be fixed is said shielding portion.

14. (Previously Presented) The connector fixing structure according to claim 7, wherein said object to be fixed is said shielding portion.

15. (New) The connector fixing structure according to claim 1, wherein said fixing member is a clamp formed of a rod-like metal plate bent into a predetermined shape to arch over said cable, and

a bent shape is further formed at said clamp between said cable and said housing.

16. (New) The connector fixing structure according to claim 15, wherein two of the clamps are provided on the side where said cable is provided, with respect to said fixing member.

17. (New) The connector fixing structure according to claim 1, wherein
said second fixing member is a clamp formed of a metal plate bent into a
predetermined shape to arch over said cable in two positions, and
a bent shape is further formed at said clamp between said cable and said housing.